

(Only the soils considered prime farmland are listed. Urban or built-up areas of the soils listed are not considered prime farmland. If a soil is prime farmland only under certain conditions, the conditions are specified in parentheses after the soil name.)

Map symbol	Soil name
AlA	Alford silt loam, 0 to 2 percent slopes
AlB2	Alford silt loam, 2 to 6 percent slopes, eroded
Ar	Armiesburg silt loam (Prime farmland if protected from flooding or not frequently flooded during the growing season)
As	Armiesburg variant silt loam
Bd	Birds silt loam (Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season)
EKA	Elkinsville silt loam, 0 to 2 percent slopes
EKB2	Elkinsville silt loam, 2 to 6 percent slopes, eroded
Ev	Evansville silt loam (Prime farmland if drained)
Ge	Genesee loam (Prime farmland if protected from flooding or not frequently flooded during the growing season)
Gn	Ginat silt loam (Prime farmland if drained)
Ha	Haymond silt loam
HeA	Henshaw silt loam, 0 to 2 percent slopes (Prime farmland if drained)
HoB2	Hosmer silt loam, 2 to 6 percent slopes, eroded
IoA	Iona silt loam, 0 to 2 percent slopes
IoB2	Iona silt loam, 2 to 6 percent slopes, eroded
Ld	Landes sandy loam
Ly	Lyles sandy loam (Prime farmland if drained)
NK	Newark silty clay loam (Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season)
No	Nolin silt loam (Prime farmland if protected from flooding or not frequently flooded during the growing season)
OnA	Onarga fine sandy loam, 0 to 2 percent slopes, rarely flooded
Pa	Patton silty clay loam (Prime farmland if drained)
PeA	Pekin silt loam, 0 to 2 percent slopes
PeB2	Pekin silt loam, 2 to 6 percent slopes, eroded
Pg	Peoga silt loam (Prime farmland if drained)
Ph	Petrolia silty clay loam (Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season)
PrB2	Princeton loam, 2 to 6 percent slopes, eroded
Ra	Ragsdale silt loam (Prime farmland if drained)
Rh	Rahm silt loam (Prime farmland if drained)
RlA	Reesville silt loam, 0 to 2 percent slopes (Prime farmland if drained)
Rn	Rensselaer clay loam, clay loam substratum (Prime farmland if drained)
St	Stonelick fine sandy loam (Prime farmland if protected from flooding or not frequently flooded during the growing season)
UnA	Uniontown silt loam, 0 to 2 percent slopes
UnB2	Uniontown silt loam, 2 to 6 percent slopes, eroded
Vn	Vincennes loam (Prime farmland if drained)
Wa	Wakeland silt loam (Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season)
WbA	Weinbach silt loam, 0 to 2 percent slopes (Prime farmland if drained)
WhA	Wheeling loam, 0 to 2 percent slopes
WhB	Wheeling loam, 2 to 6 percent slopes
Wm	Wheeling variant silt loam
Wz	Woodmere silt loam (Prime farmland if protected from flooding or not frequently flooded during the growing season)
Zp	Zipp silty clay loam (Prime farmland if drained)
Zu	Zipp variant sandy loam (Prime farmland if drained)